

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 2886 | (wireless or "wireless networking device") and (protocol or "network protocol") and (reservation or "dynamic reservation") and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:06 |
| L2 | 29 | (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:06 |
| L3 | 0 | (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation determination module" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:06 |
| L4 | 0 | (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "reservation parameter" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:06 |
| L5 | 0 | (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamically updateable reservation" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:07 |
| L6 | 0 | (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "utilization module" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:07 |
| L7 | 4 | (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "utilization" and "efficiency" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:07 |
| L8 | 3 | (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation" and (monitoring near transmission) and (multiple near transmission) and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:07 |
| L9 | 0 | (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation" and (monitoring near transmission) and (multiple near transmission) and (determining near utilization) and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:07 |

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| L10 | 0 | (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation parameter" and (monitoring near transmission) and (multiple near transmission) and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:08 |
| L11 | 0 | (wireless or "wireless networking device") and (protocol or "network protocol") and (changing near "reservation parameter") and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:08 |
| L12 | 12 | (wireless or "wireless networking device") and (protocol or "network protocol") and (changing near reservation) and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:08 |
| L13 | 0 | (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation determination module" and "utilization module" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:08 |
| L14 | 0 | (wireless or "wireless networking device") and (protocol or "network protocol") and "transmitter" and (queue or "data queue") and ("reservation module" or "reservation determination module") and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:08 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| L15 | 49948 | ((370/329) or (370/252) or (370/277) or (370/278) or (370/310.1) or (370/310.2) or (370/312) or (370/320) or (370/322) or (370/328) or (370/335) or (370/342) or (370/410) or (370/412-417) or (370/431) or (370/441) or (370/429) or (370/395.1) or (370/352) or (370/338) or (370/337) or (370/347) or (370/443) or (370/348) or (370/400) or (370/401) or (370/437) or (370/465) or (370/485-487) or (340/286.01) or (340/307) or (379/32.01) or (379/32.04) or (379/88.08) or (379/88.22) or (379/93.31) or (379/100.17) or (379/399) or (379/387) or (455/450) or (455/464) or (455/509) or (455/422.1) or (455/403) or (455/408) or (455/466) or (455/438) or (455/39) or (455/91) or (455/452.1) or (455/452.2) or (709/232) or (709/229) or (709/223) or (709/203) or (709/227) or (709/230) or (709/250) or (709/238)).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:05 |
| L16 | 1047 | L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and (reservation or "dynamic reservation") and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 13:58 |
| L17 | 0 | L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation determination module" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 13:59 |
| L18 | 0 | L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "reservation parameter" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 13:59 |
| L19 | 22 | L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 13:59 |

| | | | | | | |
|-----|---|---|---|----|-----|------------------|
| L20 | 0 | L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamically updateable reservation" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 13:59 |
| L21 | 0 | L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "utilization module" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:00 |
| L22 | 4 | L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "utilization" and "efficiency" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:00 |
| L23 | 2 | L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation" and (monitoring near transmission) and (multiple near transmission) and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:00 |
| L24 | 0 | L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation" and (monitoring near transmission) and (multiple near transmission) and (determining near utilization) and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:00 |
| L25 | 0 | L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation parameter" and (monitoring near transmission) and (multiple near transmission) and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:00 |
| L26 | 0 | L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and (changing near "reservation parameter") and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:00 |
| L27 | 5 | L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and (changing near reservation) and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:01 |

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| L28 | 0 | L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation determination module" and "utilization module" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:01 |
| L29 | 0 | L15 and (wireless or "wireless networking device") and (protocol or "network protocol") and "transmitter" and (queue or "data queue") and ("reservation module" or "reservation determination module") and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:01 |
| L30 | 49969 | ((370/329) or (370/252) or (370/277) or (370/278) or (370/310.1) or (370/310.2) or (370/312) or (370/320) or (370/322) or (370/328) or (370/335) or (370/342) or (370/410) or (370/412-417) or (370/431) or (370/441) or (370/429) or (370/395.1) or (370/352) or (370/338) or (370/337) or (370/347) or (370/443) or (370/348) or (370/400) or (370/401) or (370/437) or (370/465) or (370/485-487) or (340/286.01) or (340/307) or (379/32.01) or (379/32.04) or (379/88.08) or (379/88.22) or (379/93.31) or (379/100.17) or (379/399) or (379/387) or (455/450) or (455/464) or (455/509) or (455/422.1) or (455/403) or (455/408) or (455/466) or (455/438) or (455/39) or (455/91) or (455/451) or (455/452.1) or (455/452.2) or (709/232) or (709/229) or (709/223) or (709/203) or (709/227) or (709/230) or (709/250) or (709/238)).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:06 |
| L31 | 1047 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and (reservation or "dynamic reservation") and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:06 |

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| L32 | 0 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation determination module" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:06 |
| L33 | 0 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "reservation parameter" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:06 |
| L34 | 22 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:07 |
| L35 | 0 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamically updateable reservation" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:07 |
| L36 | 0 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamically updateable reservation" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:07 |
| L37 | 0 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "utilization module" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:07 |
| L38 | 4 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation" and "utilization" and "efficiency" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:07 |
| L39 | 2 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation" and (monitoring near transmission) and (multiple near transmission) and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:07 |

| | | | | | | |
|-----|---|---|---|----|-----|------------------|
| L40 | 0 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation" and (monitoring near transmission) and (multiple near transmission) and (determining near utilization) and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:07 |
| L41 | 0 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "reservation parameter" and (monitoring near transmission) and (multiple near transmission) and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:08 |
| L42 | 0 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and (changing near "reservation parameter") and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:08 |
| L43 | 5 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and (changing near reservation) and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:08 |
| L44 | 0 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "dynamic reservation determination module" and "utilization module" and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:08 |
| L45 | 0 | L30 and (wireless or "wireless networking device") and (protocol or "network protocol") and "transmitter" and (queue or "data queue") and ("reservation module" or "reservation determination module") and @ad<"20031202" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/25 14:09 |